



"Boys! The New American Flyer built-in "CHOO-CHOO" is the first and only device that brings to your ears the thrilling sounds of mighty mechanical power that you hear from a real train. Read all about it... then hear if at your pearest denartment or toy store."

C.C.Gillart President
The L. C. Gilbert Co. and
conter of the Silbert Ball of Science

Can you imagine going to a circus and not hearing the band...seeing a ball player knock a homerun without hearing the crack of the bat... of watching a football game at which there was no cheering? None of these events would seem real without the glorious, exciting sounds that go with them.

The same is true of railroading. Whenever you see a real locomotive-whether it is standing at a station or speeding through the countryside - there comes to your ears the constant chorus

of its "choo-choos". Those "choo-choos" are just as vital a part of a feal locomotive as its drive wheels, piston troops, headlight, etc.

In order to enjoy all the exciting drama of railroading, you naturally want a train that not only looks like

400-CH00 PAGE 2 :H00-CH00 LISTEN TO THAT "СНОО-СНОО.

real but also sounds like real. And that is exactly the kind of train American Flyer engineers have now created for you - a train that actually choo-choosthat accurately reproduces the ficry, tempestous rumbles and hisses of a giant locomotive under full steam.

under full steam.

The marvelous new American Flyer "Choo-Choo" is built right into your train and so distinct are its choo-choos they can be heard at distances of over 100 feet.

But the most wonderful feature of this amazing new American Flyer "Choo-Choo" is that it changes tone and tempo with every change in train speed thus doing exactly what a real locomotive does. Suppose your train is standing at a station. The

choo-choos start the instant you turn on the electric current ... slow, deep-throated, impatient choochoos they are then ... the sound of heaving horsepower eager to go.

Now nose your train out of the station. Instantly the choice of choo-choos quicken their pace. Turn your threatle up another notch or two. Still faster come the sonorous snorts of those choo-choos. Now give your train the highball signal as it

Now give your train the highball signal as it storms over the rails at full speed, your choo-choos burst into a fast and furious cascade of sound singing the magic, thrilling song of the rails with glorious realism.

Once you hear the new American Flyer "Choo-Choo," no electric train will seem complete without it. Listen to it today at your nearest department or toy store. Take Dad along

... and he will be just as enthusiastic as you over your getting an American Flyer Train for Christmes

> THE A. C. GILBERT COMPANY New Hoven, Conn., U. S. A.

Copyright 1941 By The A. C. Gilbert Co.
New Haven, Conx., U.S.A.

D1990 Made In U.S.A. Priced In U.S.A.



Every American Flyer Train is 3/16" Scale from Front End to Rear End

Twice the Track -Twice the Gun

The fun of electric railroading goes up fast every time you increase the amount of track. Having a two-loop system, with double switches—and possibly sidings—is twice as much fun as having just one loop. Adding a third loop—and crossovers—makes operating your railroad system even more spectacular and exciting.

But perhaps you are thinking, or Dad or Mother will say, "We

An important advantage to American Flyer 3/16" scale models is that they operate on "O" gauge track of only 40" in diameter. Thus you



WHY 3/16" SCALE MODELS ARE TOPS IN REALISM

"O" Gauge track is by far the most popular track width both with boys and hobbyists. It is the size you probably have or will get.

In order to have a realistic "O" gauge system, your locomotives and cars must not only be scale models, but in addition must be built to be scale models, but in addition must be built to the scale that looks most realistic and operates when the scale that looks most realistic and operates when the scale that looks most realistic and operates "I will be scale that the scale that longth, beight and with, all American Flyer locomotives, tenders and cars are made and the scale that the

correct in every detail.

Extensive experiments conducted at the Gilbert Hall of Science prove that 3/16" scale is the ideal train scale for "O" gauge track. It looks most realistic, hugs the rails more realistically, and is the largest scale size that can be operated satisfactorily on "O" gauge track of 40" dismeter ctorily on "O" gauge track of 40" dismeter.

COMPARE



How important track diameter is in busings grainste layouts in small space is applicably shown by the illustrations below. Both illustrations represent an area approximately of cett square. With a diameter track it is possible to have only one loop in this space. See illustration below. With American Fipes 40° diameter track, on the other hand, you can easily have two loops in a 6 foot square area. See illustration in lower left hand corner. If you have plenny or conillustration in lower left hand corner. If you have plenny or continuation in lower left hand corner. If you have plenny or con-

1 FOOT 2' 3' 4' 5'





EQUIPMENT that is tops in REALISM : ALL BUILT TO SCALE - TRUE TO LIFE ACTION



light to stop train green to go. Permits two train operation on single track.

ARMY UNLOADING CAR

Press remote control button and platform swivels and tilts, unloading armored truck.

WATER TANK

Water spout raises and lowers when you press remote control button. Aviation beacon on top.

MAIL PICK-UP CAR

Grabs sack of mail while train is in motion, automatically tossing out another sack. Operated by remote control.

See Page 37

DUMP CAR

Side opens and dumps load of coal into bin when you press remote control button. See Page 37

ELECTROMATIC CRAN

Grabs up load of steel by electro magnetic power, swings it over car and unloads—all by remote control.

See Page-40

NOW! Every American Flyer Locomotive has Super-Power WORM DRIVE

Ranishes JERKY "JACK RABBIT" PULL

Sweath PRECISION CONTROL AT SLOW OR HIGH SPEEDS



One of the tests of an expert railroad envineer is whether be can ston and start his train with such smooth precision as not to justle and jar passenners. Realistic operation of miniature train calls for similar accurate control. With old-fashioned spur gear drives, it was virtually impossible to operate a train without jerking and bucking. And this might be so bad as to


cause cars to jump the track. Such troubles are a thing of the past with the new American Flyer locomotives—because every one has a modern, precision made worm year drive. By giving a greater reduction in speed (18:1) worm near drive increases the turning torque correspondingly, making possible slower, smoother,

In addition, worm gear drive enables you to maintain slow speeds without danger of stalling-and gives you the steady surge of power you need for high speeds. Speeds of 120 scale miles per hour are easily possible with American Flyer worm drive locomotives. And at all speeds worm drive is amazingly quiet.

Another reason for the superiority of American Floer warm drive locomotives is that all parts are built to rigid specifications. For example, the pears are not stamped or die cast but machine out to high precision standards.

(A) Molded bakelite brush block.

- (B) Machine wound enamel wire field
- bearings. (D) Steel armeture shoft around to
- size. Worm out directly into ormo-
- (E) Steel worm gear cut on American Flyer's own hobbing machines,
- (F) Locking lever to maintain operation in any desired direction.
- (G) Electro magnet which operates reverse switch.
- (H) Phosphor bronze spring contacts (I) Reverse switch segments molded
- into drum with integral ratchet. (J) Light from readily removable headlight lamp conducted to proper location in bailer front by Lucite
- (K) Drive wheels driven on knurled ends of steel axle.
- (L) Bronze begrings for driver axles.





There's a new thrill to electric railroading when you build a giant locomotive and tender yourself. You fit the powerful motor with drive wheels attached under the long gleaming boiler-assemble the piston rods, steam chest, pilot and other fascinating parts—then paint it and attach the decals. It's amazinely easy with American Flyer Build-'em yourself kits which contain all the necessary parts correctly machined, drilled and tapped. All machine assemblies are completed. Paints, brush, decals and full instructions are all included. No special tools are required to do an expert job. They will be the pride of your railroad line-these American Flyer Scale Models that you build yourself. They're realistic . . . they'll hustle over the rails like a real mainliner. Your friends will be amazed to learn that you built these authentic models yourself.



LOCOMOTIVE AND No. 558 TENDER Contains all necessary parts for quickly and easily assembling this famous 4-6-2 Pennsylvania K-5 locomotive and tender illustrated below. Armature, field, gears and drive wheels assembled to engine frame. Has worm drive, directional

remote control unit and new positive action coupler on tender. Operates on A.C. only. K-559 LOCOMOTIVE AND TENDER KIT-





SCALE MODEL HOTSHOTS YOUR BUILD

KIT FOR BUILDING No. 531 N. Y. C. LOCOMOTIVE AND No. 563 TENDER

LOCOMOTIVES TENDERS AND CARS YOU CAN BUILD



Easy-to-follow instructions help you assemble this powerful 4-6-4 type N. Y. C. Hudson locomotive and Tender. Armsture, field, gears and drive wheels assembled to engine frame. Has worm drive, directional action coupler on tender. Operates

K-531 LOCOMOTIVE AND







KIT FOR BUILDING No. 534 UNION PACIFIC LOCOMOTIVE AND No. 567 TENDER

"O" GAUGE TRACK 40" DIAMETER OR MORE ALL DIE CAST DIRECTIONAL REMOTE CONTROL



You can easily and quickly assemble this big super power 4-8-4 Union Pacific Locomotive and tender. Armature, field, gears and drive wheels assembled to engine frame. Has worm drive, directional remote control unit and new positive action coupler on tender. Operates on A.C.

K-534 LOCOMOTIVE AND TENDER KIT . .





K-521 BAGGAGE AND CLUB CAR KIT

Contains everything you need to build a beautiful authentically scaled Buggage and Club Car. Grounie discossion measuring 12" long. Has two 6 wheel trucks and interior electric light. Siding door into buggage compartment and hinged door into vestbale. Green enamel paint included for a lustrous finish.



You can assemble a magnificent 12" die-cast Pullman with this easy-to-build set of parts. Electric light for the interior, double trucks, 12 wheels and simulated glass windows with curtain trim are all included in this exceptional kit. Green



K-508 HOPPER CAR KIT . .

When you assemble this 6½° diecast car you have a job so true to life that even the rivet heads show. All wheels, journal boxes and appointments are authentically scaled. Kit complete with automatic couplers,



K-510 CATTLE CAR KIT

Builds 7½" die-cast model of cars used to transport cattle to the country's largest stock yards. Building your own rolling stock the new American Flyer way adds new fun to electric railroading.

It's a cinch with AMERICAN FLYER "Build-em-Yourself" KITS

K-512 TANK CAR KIT . . .

Contains complete parts, equipment and instructions for assembling and finishing Texaco Tank Car. Rails, ladders, simulated filler cap, two 4 wheel tracks, and automatic couplers for this 7½° die-cast realistic car.

K-504 GONDOLA CAR KIT .

Car is die-cast and measures 71/4". Kit has all parts and material for complete finishing. Automatic couplers, two 4 wheel trucks, nickel journal boxes and authentic appointments all ready for quick assembly.

K-514 WRECKER CAR KIT .

"Big Hook" is what railroad men call a wrecker car, With this kit you can build a 7½" die-cast Wrecker with hoisting equipment. Cab and boom turns on swivel base. Boom raises and lowers.

K-506 BOX CAR KIT . . .

Assembling this die-cast 7½." Box Car will be real fun. Kit contains everything you'll need for a finished job including wheels, fittings, automatic couplers, paints and brush.

K-516 CABOOSE KIT . . .

Complete parts and equipment for assembling and finishing die-cast electrically illuminated caboose, 6" long. Two 4 wheel trucks, automatic con. Two 4 wheel trucks, automatic and brush included in this set.











AMERICAN FLYER TRAINS



EVERY LOCOMOTIVE AND EVERY CAR BUILT TO



EVERY TRAIN AN AUTHENTIC REPLICA OF ITS PROTOTYPE



EVERY LOCOMOTIVE WITH QUIET-RUNNING,



IRST TRAINS THAT "CHOO-CHOO"-REPRODUCING

Owing to emergency conditions beyond our control. The A. C. Gilbert Co. reserves the right to change prices, contents or materials used without notice.

33 SPECTACULAR 3/16" SCALE MODEL TRAINS FOR "O" GAUGE TRACK EACH ONE AMERICA'S PACEMAKER IN ITS PRICE CLASS

American Piyer Tuins are the first choice among boys and hobbyits who demand the şimust in radius. Because American Fijer Tuins are libraily common with exclusive and expensive funtrare—features. Total American Fiyer Tuins are more globalized radius those we below. To their advancement of the past, American Fiyer engineers and technical eviewt of the Gilbert Half of Science have now added dataging ower features. There are important new developments in sound effects—in location-librailand an explanation of the common features of the common features are considered and an explanation of the common features are considered and an explanation of the common features are considered and an explanation of the common features are common features.

Here are a few American Flyer high points to keep in mind: All trains operate by remote control or directional remote control. You don't have to touch your train to

All trains are 3/16° scale models from end to end, and are accurate replicas of real trains. Every set has an authentic tender—correctly designed for the locomotive it goes with.

Perfected super-power worm drive is standard equipment in every locomotive—and every locomotive has Lucite electric headlight.

There are 140" or more of running track with every "O" gauge set.

All American Flyer "O" Gauge track is 40" diameter, is interchangeable and of the same high quality construction. Thus any two or more sets can be combined to make a larger system—and when you buy extra track, you are sure it will fit.

All trains have automatic couplers and electric uncoupling operated by remote pash button control. Read the full description of earth tuilling set. The more you study them—compare them with nedinary train—and see how much extra value you get for your money, the more you will realize why experts on ministure ratiooding are picking. American Flyer.

SEE HOW LITTLE IT COSTS TO GET A REALISTIC 3/16" SCALE MODEL





You operate all train move-

ROYAL BLUE 4-6-2

- * 3/16" Scale Model

 * Steam Type—Torpedo
 - Design Type—Torpedo
- * Worm Drive
- * Remote Control

 * Automatic Coupling
- * Electric Uncoupling

No. 4101 ROYAL BLUE FREIGHT TRAIN_21 PIECES_411/4" LONG

Here's an inexpensive train with exclusive features. Locamorder is dis-cast, bas worm drive and is operated by remote control. Fever car and rear of tender has automatic couplers that work anywhere; on the neuropited electrically by remote control. Operates Fever car and rear of tender has automatic couplers that work anywhere; on the neuropited electrically by remote control. Operates has double trucks, 8 wheels, nickel (cornal boses and vivid historium distance). But the electrically based counted, here yet that makes 140° vor. 9 but the property of the property

Set consists of: Locomotive No. 536; Tender 535, 17½" long; 478 Box. 7½"; 476 Gondols, 7½"; 484 Caboose, 6½". Track: 12 No. 680 curved, 1 No. 681 straight and 1 No. 675 straight with built-in uncoupling device, 1 No. 450 Track Terminal.

No. 4101 TRAIN SET . .

No. 4102 ROYAL BLUE PASSENGER TRAIN-21 PIECES-511/4" LONG

You'll feel prood of every detail of this glearning cards express. Loconstrive is terpedo design of the 4-6-2 type. Six drive wherely with exerusive arm triple action point noist, 4 when poor, 2 when booker trucks. Tender is bonder type with restitive institute of the control of the control

Set consists of: Locatorive No. 556: Tender No. 555, 17½" long; 1 494B Baggage, 10½": 2 495B Coaches, 10½". Track: 12 No. 680 curved, 1 No. 681 straight and 1 No. 675 straight with built-in uncoupling device, 1 No. 430 Track Terminal.



CRUSANER 4-4-2

- # 3/16" Scale Model * Worm Drive

ONLY AMERICAN FLYER OFFERS YOU - REALISTIC SOUND EFFECTS - FOR SO LITTLE MONEY

Why hav unscaled trains when 3/14"



- - * Worm Drive * Remote Control



Add these two big fun extras-Wayside Station with truck and figures. and Water Tank with spout that can be raised or lowered by remote push

No. 4103 CRUSADER FREIGHT TRAIN-21 PIECES-40" LONG

There are miles of thrills in operating this fast freight. The boiler front is removable, for ease in changing lamp bulb in headlight. Log car has six realistic logs and brake wheel. Box car has sliding doors, so you can really load it with freight. Both cars are 75%" long. The 61/5" Caboose has cupola, end rails and ladders. All cars are vivid colored enamel electrically baked, and the realistic close couplers automatically couple on curves or straightaway. Uncoupling is done by remote control. Just push a button-and the uncoupling device-which is built

in a special section of track-does the rest. Train operates on any "O" Gauge track of 40" diameter or more. Set consists of: Locomotive No. 565; Tender 564, 16" long; 482 Log. 75%"; 478 Box, 75%"; 484 Caboose, 65%", Track: 12 No. 660 curved. J. No. 661 straight and J. No. 673 straight with built in precompling drains. J. No. 480 Track Terminal.

No. 4103 TRAIN SET . .

No. 4104 CRUSADER PASSENGER TRAIN-21 PIECES-50" LONG .

Track furnished with set makes 140" oval, 50 or 75 Watt Transformer recommended.

Imagine yourself the engineer of this sleek scale model train. The locomorive is finished in true locomorive black cars in red electrically baked enamel with white and nickel trim. Turn on the power! Faster and faster . . . then to a crawl . . . then fast again . . . Reverse by remote control. How quickly and smoothly that engine responds to your touch! That's because it has a worm gear drive. There's a big satisfaction in knowing it's built true to scale, too. It looks right-hugs the tracks right as it speeds around curves. Locomotive and tender are 16" long. Cars are each 10 % long. Locomotive has ten wheels with eccentric arm double action piston rods, Tender has 8 wheels and is piled high with imitation coal. Baggage car has sliding doors. Track equipment is same as for No. 4103 set. 50 or 75 Watt Transformer recommended.

Set consists of: No. 161 Lecenotive and No. 164 Tender, 16" long; 494R Baggage, 10½"; 2 495R Coaches, 10½". Track: 12 No. 681 straight and 1 No. 675 straight with built-in uncoupling device, 1 No. 450 Track Tennical.

No. 4104 TRAIN SET . .

No. 4105 B & O FREIGHT TRAIN WITH "CHOO-CHOO" 21 PIECES-411/1" LONG . .

The sensational new "Choo-Choo" built into this spectacular streamliner brings to your ears the thrilling sound effects of a real train in action. The "Choo-Choo" is so distinct you can hear it over 100 feet away and is so real. istic that it automatically varies with every change in train speed. Think how Dad and your friends will gasp with wonder as you control its speed and chorus of "choo-choos" by transformer throttle . . . uncouple cars by electric remote control couple them automatically anywhere on the track. What a colorful string of cars the big torpedo locomotive hauls! Tank car with ladders, hand rails and brake wheel. Box car with sliding doors, 100 Watt Transformer recommended

Set consists of: No. 556 Locomotive; No. 555C Tender, 17½°; 478 Box, 7½°; 680 Tank, 7½°; 684L Caboose, 6½°, Track: 12 No. 689 curred, 1 No. 681 straight and 1 No. 675 straight with built-in uncoupling device, 1 No. 430 Teach Terminal.

No. 4105 TRAIN SET . .

No. 4106 B & O PASSENGER TRAIN WITH "WHISTLE" 21 PIECES - 511/4" LONG

With one hand on the throttle and the other on the whistle control, you will feel like a real engineer as you make this crack express pound the rails. You can blow long wailing blasts—quick sharp blasts , , reverse , , pick up speed, slow down , , , all by remote control, Take a good look at that locomotive, Including tender it is 17M" long, is discast, has Lucite electric headlight and six drive wheels with eccentric arm triple action piston rods. Tender is authentic B & O type with 8 wheels and big pile of imitation coal, Each car is 10%" long and finished in Royal Blue enamel to match lacomotive Both coaches are illuminated for spectacular night operation. Express car has built-in whittle. Track makes 40° x 50° oval, 75 or 100 Watt Transformer recommended. Set consists of: No. 536 Locomotive; No. 535 Tender, 173/4"; 1 400B Whistling Express Car, 103/4"; 2 405BL Coaches, 103/4". Track; 12 No. 680 curved, 1 No. 681 straight and 1 No. 675 straight with built-in uncoupling device, 1 No. 450 Track Terminal.

No. 4106 TRAIN SET



PAGE 11

4-4-2

* 3/16" Scale Model RIJF RIRD * Atlantic Steam Type * Worm Drive

MAMMOTH - WORM DRIVE SCALE MODELS THAT SURGE OVER THE RAILS WITH BRFATH-TAKING SPEED . .

> Only worm drive gives quiet smooth pulling power.



* 3/16" Scale Model * Pacific Steam Type * Worm Drive



Add this scale model girder

Watch trains stop and go as this semaphore shifts from red to green,



No. 4107 BLUE BIRD FREIGHT TRAIN WITH "CHOO-CHOO" 21 PIECES-40" LONG . .

Highball this fast freight at top speed and a throbbing chorus of "choo-choos" will greet your ears . . . bring it to a stop and its "choo-choos" become the slow deep breathing of impatient power. Not only does the new American Flyer "Choo-Choo" sound just like real but it changes tone and tempo with every change in train speed. Another fun feature of this train is its hopper car with manual control lever for dumping. Hopper car and caboose are each 63/5" long and the Tank car is 73/6" long. All are finished in brilliant colored enamed electrically baked. Atlantic design locomotive is die-cast with removable boiler front, Track makes 140° oval. 75 or 100 Watt Transformer recommended

Set consists of: No. 565 Locomotive; 364C Tender, 16° long; 486 Hopper, 6½°; 480 Tank, 7½°; 484 Caboose, 6½°. Track: 12 No. 680 curved. i No. 681 straight and 1 No. 675 straight with built-in uncoupling device. i No. 410 Track Terminal.

No. 4107 TRAIN SET . .

No. 4108 BILLE RIPD PASSENGER TRAIN WITH "WHISTLE" 21 PIECES-50" LONG

It's a Mainliner in looks-and a Mainliner in the way it whistles. The whistle is built right in the train and operates by remote control push button. That means you can blow it anywhere, anytime-long or short blasts and all code signals. The discourt becomprise has ten wheels with four drive wheels and realistic eccentric arm double action piston rolls, electric headlight in removable boiler front. Locomotive, tender and all cars are built to 3/16" scale from railroad blueprints. Brilliant blue enamel with white and nickel trim gives these 10 1/2" cars

a pleasing appearance as they flash around the track. Coupling is close type, automatic on every car. Cars uncoupled by electric remote control, 75 or 100 Watt Transformer recommended, Set consists of: No. 565 Locomotive: 564 Tender, 16" long: 490B Whistling Express Car, 10½": 2 495B Coaches, 10½". Track: 12 No. 690 curved, 1 No. 681 straight and 1 No. 675 straight with built-in uncoupling device. 1 No. 450 Track Terminal.

No. 4108 TRAIN SET . .

No. 4109 RED ARROW FREIGHT TRAIN-22 PIECES-50" LONG

Like all American Fiver Trains, this Red Arrow freight is a 3/16" scale model replica of a real train. Its six heavy drive wheels typify super power on the main line of the Pennsylvania and give plenty of traction for its load of four gleaming cars. Electric headlight is mounted behind removable boiler front for ease of changing. Jeweled markers and eccentric arm triple action piston rods, side rods and connecting rods give the engine a flashing heauty as it storms down the main iron. The "Army Searchlight Car" throws a long beam, tilts to any angle and turns on swivel base. Floodlight. Tank and Goodola Cars are each 75%" long. Caboose is 61/5" long. All cars in vivid colored enamel, 75 or 100 Watt Transformer recommended,

Set consists of) No. 561 Locomotive; 558 Tender, 17%* long; 488 Floodlight, 756*; 476 Gondola, 754*; 490 Tank, 756*; 484 L Calcose, 655*, Track; 12 No. 680 Curved, 1 No. 681 traight and 1 No. 675 straight with built-in uncoupling device. 1 No. 450

No. 4109 TRAIN SET . .

No. 4110 RED ARROW PASSENGER TRAIN-21 PIECES-511/2" LONG . . .

Picture a string of three flashing red cars powered by a giant, smooth-pulling, worm drive locomotive. Here is a train that will make you the envy of all your friends. You can uncouple cars by remote control while the train is in motion. You can couple them anywhere, Couplers lock together on contact. Track equipment makes 140° oval. All cars are 1936," long, have red electrically baked enamel finish and white and nickel trim. Baggage car has sliding doors. Coaches are electrically illuminated. Length, height and width of cars and locomotive are in correct proportions, being built to 3/16" scale from actual railroad blueprints. 75 or 100 Watt Transformer

Set consists of : No. 561 Locomotive; 558 Tender, 1755° long; 494R Baggage, 1055°; 2 495RL Coaches, 1055° long. Track: 12 No. 680 curved, 1 No. 681 straight and 1 No. 675 straight with built-in uncoupling device, 1 No. 430 Track Terminal

No. 4110 TRAIN SET . .



Hear this Black Diamond "CHOO CHOO" as it Highballs Heavy Loads



BLACK DIAMOND 4-4-2 INCHES * Worm Drive

Every American Flyer Train Set has 140" or

more of running track.

Add this Tool Shed

with sliding door

to your line.

- * 3/16" Scale Model
- * Remote Control
- * Automatic Coupling

* Electric Uncoupling

With this magnificent main line freight come two of the most exciting features ever added to miniature railroading. First, the built-in "Choo-Choo" producing the fascinating sound effects of a real locomotive. Second, the Armored Army Track on special automatic unleading car. Just press a remote control button and platform swivels and tills, shooting armored truck down incline. Box car with sliding doors, log car with six realistic logs and caboose are all finished in brilliant baked enamel. 14 sections of track makes 140" aval. All cars with automatic couplers. Lucite electric headlight on locomotive in removable boiler front, Caboose has electric light, 75 or 100 Watt Transformer recommended,

No. 4111 TRAIN SET . .

21 PIECES - SO" LONG

Glorious to see-glorious to hear-and glorious to run! This fast mail is 3/16" scale model from end to end-"choo-choos" Orionous to see—georious to near—and giorious to run: This fast man is 5/10. Sale model from that to the the while running or standing will and has submutic mail our that grabs up sack of mail and tasses out another sack from the car. while running or standing still and has automatic mail our that grass up sack or mail and tosses our amount sack from the car. You direct the action by remote peak button control. Discout footmotive has four mighty drive which with eccentric arm double action piston rods. 8 wheel tender is piled high with imitation coal. The 1934 long green enamel coaches have electric lights and automatic couplers. 75 or 100 Watt Transformer recommended.



8 DRIVE WHEEL SWITCHER 3/16" Scale Model of Railroads Busiest Locomotive





It's fun to uncouple cars by remote push button

control.

No. 4113 YARD KING SWITCHER-22 PIECES-4634" LONG .

Real railroading excitement takes place in the busy classification yards where cars are switched from track to track to make up trains. That's why this powerful 8 drive wheel die-cast "vard goat" sets a new high for thrilling fun. Four fascinating cars: Flat Car with bridge girder: tank car with ladders and hand rails; box car with sliding doors; illuminated caboose, All in electric headlight in removable boiler front, eccentric arm triple action piston rods, side rods and connecting rods. Tender is die-cast, coal type and has rear Lucite light, Automatic coupof track, remote push button control. Track makes 140" oval. 75 or 100 Watt Transformer

Set consists of: No, 574 Locomotive; 573 Tender, 14%" long; 483 Girder, 7%"; 480 Tank, 7%"; 478 Box, 7%"; 4841 Calsoor, 6%", Tarck: 12 No. 680 curved, 1 No. 681 straight and 1 No. 675 straight with built-in uncoupling device. 1 No. 490 Tack Tentinal.

No. 4113 TRAIN SET . .

YARD KING 0-8-0

- * 3/16" Scale Model
- * Steam Type * Worm Drive
- * Remote Control
- * Automatic Coupling * Electric Uncoupling

A double value additionstation with crane that swivels, raises and lowers.



PENNSYLVANIA 4 - 6 - 2 * 3/16" Scale Model

* Pacific Steam Type

* Worm Drive

* Remote Control

* Automatic Coupling

* Electric Uncoupling

CRACK HIGHLINERS THAT "CHOO-CHOO" AND HUSTLE OVER THE IRON WITH MIGHTY POWER

* 3/16" Scale Model
* Hudson Steam Type
* Worm Drive
* Remote Control
* Automatic Coupling



No. 4114 PENNSYLVANIA FREIGHT TRAIN WITH "CHOO-CHOO" 22 PIECES-49" LONG . .

This ambentic \$1/65" scale model freight with "Choo-Choo" will thrill every Boy and Dad who owns it. Wean drive locomories and threat are discost inside in locomories belix with jee-elde markers. Every car is built for realistic allroading from. Wrefeer has only and both that turn on swivel base. Boom with hot rises and lower. Log ar has six crutistic legs and threat week. If Joper has hand lever for dumping, Caboose is illuminated. All cars finished in wivel colored enumel electrically blood with nickel journal boxes. Cars automatically couple anywhere. Ukoopely electrically by remove control peak button. Fourtiers sections of trick midst 160" or often discale 160" or ofte

Set consists of: No. 561 Lecemetive; 538C Tender, 17%" long; 682 Log, 7%"; 484 Wrecker, 75%"; 486 Hopper, 6½"; 484L Cabcose, 6½". Track: 12 No. 660 curved, 1 No. 661 straight, 1 No. 675 straight with built-in uncoupling device, 1 No. 430 Track

No. 4114 TRAIN SET . .

No. 4115 PENNSYLVANIA PASSENGER TRAIN WITH "CHOO-CHOO"

The six big drive wheels, the leweled markers on locomotive and tender, the illuminated Pullman with imitation skades in windows all prove that this train is every inden a delune limited. The builtier Thoo-Chco'' sings a soag of surging power with such realism that you feel you are bearing a real train. Executic arm triple action piston roaks, side excha and connecting road gittier with action as they flash buck and forth. Train fairly brieflest with electric lights, Lucite beadlight, lights in couch and Pullman. Operated at night with house lights off, it creates a lain date are as it swords over the eleminar rails, 100 or 150 West Transformer recommended.

Set consists of: No. 561 Locomotive; 539C Tender, 17% long; 494T Baggage, 10%; 493TL Coach, 10%; 496TL Pullman, 10%; Track: 12 No. 680 curved, 1 No. 681 straight, 1 No. 675 straight with built-in uncoupling device, 1 No. 450 Track Termi-

No. 4115 TRAIN SET . .

No. 4116 PACEMAKER FREIGHT TRAIN-25 PIECES-58¾" LONG . . .

With such a variety of cars, automatic coupling and emote control electric uncoupler, this train gives you no ond of fun switching cars amound, loading and unclossifing ricipal, youning your train a right with beadilight and aumy sexribalght plercing the darkness. Drawing a string of five freight cars, this giant worm drive loconotive has footness where, and, with mostle, remounts 90° in leagest, fainter train jo boils to 5.0° scale from railting the control of the

Set consists of: No. 570 Locomotive: 563 Tender, 19" long: 486 Hopper, 6½": 478 Box, 7½": 488 Floodlight, 75½": 480 Tank, 7½": 484L Caboos, 6½". Track: 12 No. 680 curved, 3 No. 681 straight, 1 No. 673 straight with built-in uncoupling device. 1 No. 450 Track Tennial.


No. 4116 TRAIN SET . .

No. 4117 PACEMAKER PASSENGER TRAIN-24 PIECES-641/4" LONG

There's an extra shell to being the engineer of a great long train and that's the shull you get with this famous Pecender. In String of variable 'consists of a Bagager or with shiling above, Humansted Code, Humansted Pullman with initiation wisholw shades and illuminated Observator car with platform. All care 10½' long, fainthed in red electrically baked entent with white and naided drive and have amounted conglere. Streen recursor of text naise to five "and "both becomes" with white and maked drive mad have amounted conglere. Streen recursor of text naise to five "and "both becomes" made even the constraint of the shade of the shade

Set consists of: No. 570 Locomotive: 563 Tender, 19" long; 494R Buggage, 10½"; 495RL Coach, 10½"; 496RL Pullman, 10¾"; 497RL Observation, 10½", Track; 12 No. 680 curved, 3 No. 681 straight, 1 No. 675 straight with built-in uncoupling device. 1 No. 450 Tack Terminal.

No. 4117 TRAIN SET . .



PRIDE OF THE PENNSYLVANIA Famous K-5 Locomotive Precision Built to 3/16" Scale





IF IT ISN'T SCALE MODEL-IT ISN'T THE REAL THING



Lucite headlight casts long super-real-



Hear it . . . own it! The talking railroad ically stops trainssound effects - then starts train again.



- * 3/16" Scale Model
- * Pacific Steam Type
- * Worm Drive
- * Remote Control
- * Automatic Coupling
- * Electric Uncoupling

JUST LIKE REAL - IN SIGHT AND SOUND

Pounding down the main line with everything wide open, this exciting 3/16" scale model Pennsylvania K-5 speeds over the rails to a chorus of "choo-choos" that echo and re-echo . . . just as the big

Pennsylvania K-5s sing to their task over the Alleghenies. Slow it to a crawl-and hear how the choo-choos keep pace in tone ing growls of a mechanical monster eager to be on its way.

And what magic control over speed its worm drive gives you. Instantly, surely and smoothly it responds to each movement of your

Long beam Lucite headlight, in removable boiler front, ieweled markers, six powerful drive wheels with eccentric arm triple action piston rods and connecting rods, prove the precision engineering that go into this superb die cast 3/16" scale model locomotive and tender. The finish is gleaming locomotive black and tender is piled high with

LOCOMOTIVE No. 561-TENDER No. 558C .



way to delight every highball artist. There are extra thrills, too, in bringing that armored car into action, Stop your train, press a remote control push button and its platform swings around, titls and the armored truck runs off peaks for action. All cars are built to 3/16" scale, have automatic couplers and are finished in vivid colored electrically baked enamel. Caboose is illuminated. Box car has sliding doors. Gondola has brake wheel. Tank has ladders, hand rails and brake wheel. Nickel journal boxes on all cars. Eighteen sections of track make 180° oval, 100 or 150 watt transformer recommended,

Set consists of: No. 561 Locomotive; 550C Tender, 173½* long; 476 Gendola, 7½*; 478 Box, 7½*; 472 Army Unloading Car, 7½*; 680 Tank, 7½*; 484 Cyboyne, 6½*; Track; 12 No. 690 curved, 4 No. 681 straight; 1 No. 673 straight with built-in uncoupling device, 1 No. 683 straight Unloading Track Set for 42 Army Unloading Car. 1 No. 497 Track Set for 42 Army Un

No. 4118 TRAIN SET . .

No. 4119 TRAIL BLAZER PASSENGER TRAIN WITH "CHOO-CHOO" -26 PCS -51 V" LONG

Authentic 3/16" scale model construction throughout, worm drive and realistic close coupling enable this sleek and gleaming passenger train to bug the rails even at top speeds. New automatic mail pick-up car discharges and eathers up mail while train is running, just like real trains. All action controlled by remote push button, Pullman and observation cars have six wheel tracks and imitation shades in windows, Electric light in Coach, Pullman and Observation, All cars finished in green enamel electrically baked. Automation smales in windows, Eachte fight in Costa, paintain and Observation, All cast mission in green enamel electric uncoupling. Eighteen sections of track make 180° oval, 100 or 150 watt transformer recommended.









You can switch cars around just as they do in modern classification yards with this superb worm drive Nickel Plate switcher, Both locomotive and tender are die cast, "Ding-dong-ding-dong" goes your automatic electrically operated clanging bell when your locomotive crawls along sliunting cars from track to track. Then at high speed your bell automatically cuts out,



No. 4120 NICKEL PLATE SWITCHER with ELECTRIC BELL 27 PIECES-541/4" LONG . .

Automatic coupling on front of engine as well as on tender and all cars permits picking up cars anywhere pushing or pulling them. Two headlights-one on engine and one on rear of tender-and swiveling, tilting light on Floodlight car create dazzling illumination for night operation. Dad will want to get in on the fun, too. Armored truck on remote control unloading car is another exciting feature. All five freight cars finished in vivid colored enamel. Eighteen sections of track makes 180° oval. 100 or 150 watt transformer

Set consists of; No. 574B Locomotive; 573B Tender, 14½° long; 488 Floodlight, 7½°; 692 Log, 7½°; 472 Army Unloading, 7½°; 486 Hopper, 6½°; 481L Caboor, 6½°, Track; 12 No. 680 curved, 4 No. 681 straight, 1 No. 675 straight with built-in uncountrieg device, 1 No. 683 straight, Track Terminal, Track Set for 472 Army Unloading Car., 1 No. 453 straight Unloading Track Set for 472 Army Unloading Car., 1 No. 453 straight Unloading to 1 Track Set for 472 Army Unloading Car., 1 No. 453 straight Unloading Car.

No. 4120 TRAIN SET . .



wheel, 61/5" long,

HOPPER CAR Has hand lever for dumping, ladders and brake

ARMY AUTOMATIC UNLOADING CAR Armored truck rushes off swiveling, tilt-

AND UNLOADING CRANE.

UNION PACIFIC GIANT OF THE RAILS 8 Huge Drive Wheels and all details built to 3/16" scale





Here is a photograph of a real Union Pacific 4-8-4... and an American Flyer scale model. You can scarcely tell which is which

Add a block signal system to your line and stop and start trains automatically. Light flashes red and green.



- * 3/16" Scale Model
- * Northern Steam Type
- * Worm Drive
- * Remote Control
- * Remote Control

 * Automatic Coupling
- * Electric Uncoupling

6. 4121 CHALLENGER FREIGHT TRAIN-25 PIECES-621/4" LONG

Every Jar, giant freight trains like this storm up the steep graden of the Rockins. In the vivid action of this mouster's eight of ever where with contentir am triple sention poston or dash of connecting rods, you fively user "wheeling" feet read thoug. The worm drive Incomotive with jeweled transfers and the tender piled high with imitation couls are die: cut and finished in locomotive Back, Feer fright cars, beight exemed finish, automatic couplers, uncompeled by remove post habons. Caboose are depressed to the property of the propert

Set consists of: No. 572 Loccenetive; 567 Tender, 211/2" long; 482 Log, 73/4"; 478 Box, 73/4"; 476 Gondola, 75/4"; 480 Tank, 75/4"; 484L Caboose, 63/2", Track: 12 No. 680 Curved, 5 No. 681 straight, 1 No. 673 straight with built-in uncoupling device, 1 No. 450 Track Terminal.

No. 4121 TRAIN SET . .

No. 4122 CHALLENGER PASSENGER TRAIN-24 PIECES-661/2" LONG

To be the operator of this flashing train is thrilling fun. Reproduced in actual 3/10° scale, this bage die cast locometive and tesder measure 211½° in length. Worm drive assures instantaneous, super-mooth control at all speech from allow created to a left 3/860ml. Tactic bendight in removable bolier from and jeweled markers add to realistic appearance. Cars are 10½° long, here automatic copylers and are insided in Tucom Red enamel, electrically baled. Bagguels has disting doors, Coulds it illuminator. Hollman and Observation, Illiminator data these institution windows adules. Track

Set consists of: No. 572 Locomotive; 567 Tender, 21½" long; 494T Buggape, 10½"; 495TL Coach, 10½"; 496TL Pullman, 10½"; 497TL Observation, 10½"; 7 Track: 12 No. 680 curved, 3 No. 681 straight, 1 No. 675 straight with built-in uncoupling device, 1 No. 450 Track Terminal.





HUDSON J-3a 4-6-4

- * 3/16" Scale Model
- * N. Y. C. Steam Type
- * Worm Drive
- * Remote Control
- * Automatic Coupling
- * Electric Uncoupling

This majestic worm drive locomotive with built-in "Choo-Choo" is so realistic in every detail that movies of it in action would convince veteran railroad men that they are hearing and seeing the real thing. The "choo-choos" are perfectly synchronized to vary in intensity with change in train speed; they continue their throbbing song even when the train is standing still. And so distinct are these thrilling "choo-choos" that you can hear them over 100 feet away.

Both engine and tender are die cast and finished in locomotive black. Six big drive wheels provide tremendous tractive force for high speed operation. Eccentric arm triple action piston rods. side rods and connecting rods, four wheel pony and booster trucks with additional 12 wheels on tender further complete the picture of mighty mechanical power. Locomotive has long beam headlight and removable boiler front. Here, indeed, is a hotshot so perfectly built and so beautifully finished as to delight critical hobbyists-vet priced to be within the reach of boys who want

the best. LOCOMOTIVE No. 570, TENDER No. 563C . .

NEW YORK CENTRAL J-3a HUDSON BATTLESHIP

Built to 3/16" Scale from Railroad Blueprints





You run your train—uncouple cars—operate dump car and mail pick-up car, all by push but-

Illuminated trestle bridges provide streams. Add one to your set.





HEAR IT "CHOO-CHOO"

makes 180° oval. 100 or 150 watt transformer recommended.

in your own home just as real trains "choo-choo" along the Hudson River Set consists of: No. 570 Locomotive; 561C Tender, 19" long; 474 Dump, 75%"; 483 Glider, 75%"; 481 Wrecker, 75%"; 478 Box, 75%"; 484 Caboon, 657, Track: 12 No. 680 curved, 4 No. 681 straight, 1 No. 675 straight with built-in uncoupling device, 1 No. 683 straight Unlocating Text Set for 647 Dump car. 1 No. 690 Track Terminer.

No. 4123 TRAIN SET . .

No. 4124 HUDSON J-3a PASSENGER TRAIN WITH "CHOO-CHOO" 26 PIECES_64" LONG

Rolling down the track to the merry rhythm of its "choo-choos," this crack limited brings you thrill after thrill. See how that Mail Pickson Car swings out arm to gather in a sack of mail while train is in full motion and at same time automotically tossing out another suck. Pullman and observation cars illuminated. Shades in windows and six wheel trucks All cars finished in Tuscan enamel with white and nickel trim, Eighteen sections of 10" track make 180" oval, 100 or 150 watt transformer recommended.

Set consists of: No. 570 Locomotive; 565C Tender, 19° long; 492T Automatic Mail Pick-up, 10½°; 495TL Coach, 10½°; 496TL Pullman, 10½°; 497TL Observation, 10½°; 7ack: 12 No. 680 curved. 4 No. 681 straight, 1 No. 675 straight with built-in uncoupling device, 1 No. 684 straight Mail Track Set, for 902G Mail Pick-up Car. 1 No. 692 Track Tennind.





No. 4125 NORTHERN FREIGHT TRAIN WITH "CHOO-CHOO" 27 PIECES-6115" LONG.

MIGHTY POWER through the Rockies

Hear the "CHOO-CHOOS" of this Union Pacific Scale Model echo and re-echo - Watch those 8 drive wheels pound the track Filling the air with its realistic-counting "choe-choos" and with its colosal boiler rocking and swaying over 16 racing wheels, this Union Pacific 3/16" scale model closometre and free car drag capture the full pageantry of railrosding. That Army Unfoulding Car is the latest word in mechanization, long perse a remote control spok battern and the patients wavele, this and anomacinally unables the amoved truck. That hig sensibility which turns on its box and this in any direction. That werefer has a cab and how that turn on a rayled box; box these and lowers, the budget can be able to the control of the colors of inflamenta. Amountain companies are the colors of inflamenta. Amountain companies are the colors of inflamenta. Amountain companies are the colors of the

Set consists of: No. 572 Locomotive; 56°C Tender, 23½° long; 486 Hopper, 6½°; 472 Anny Unbouding, 7¾°; 488 Floodlight, 7¾°; 481 Wrecker, 7½° 484L Caboose, 65°, Track: 12 No. 680 curved, 4 No. 681 straight, 1 No. 675 straight with built-in uncoupling device, 1 No. 685 straight Unbouding Track Set for 472 Anny Unbouding Car. 1 No. 49 Track Terminal.

No. 4125 TRAIN SET . .









THESE SUPERB TRAINS









No. 4126 TRAIN SET . .







- * 3/16" Scale Model
- Worm Drive
- * Pamote Control * Electric Uncoupling
- * Automatic Coupling
- * Northern Steam Type

No. 4126 NORTHERN PASSENGER TRAIN WITH "CHOO-CHOO"-26 PIECES-661/4" LONG

Built for fast mail and passenger service, this sleek limited measures 661/5" in length. Power is transmitted through smooth-pulling worm drive, making the eight burly drive wheels and eccentric arm triple action piston rods perform their tasks with perfect precision, Built-in "Choo-Choo" brings to your ears the stirring song of the rails . . . fast and turbulent at high speeds-slow and deep throated when locomotive idles. A brand new feature is the Automatic Mail Pick-up car. Press a remote control button and it snatches up one suck of mail and automatically tosses out another, Coach, Pullman and Observation cars are illuminated, finished in red enamel. Eighteen sections of track make 180° oval. 100 or 150 watt transformer recommended.

Set consists of: No. 572 Locenotive; 56°C Tender, 21½" long; 492R Mail Pick-up Car, 10½"; 497RL Goach, 10½"; 496RL Pullman, 10½"; 497RL Observation, 10½"; 124ck; 12 No. 693 curved, 4 No. 693 straight, 1 No. 695 straight with built-in uncoupling device, 1 No. 694 straight Mail Tracks et for No. 492R Mail Pick-up car, 1 No. 694 Track Terminal.

"CHOO-CHOO" UNION PACIFIC -tiffetting . Ganifin'-



JUST TURN ON TRANSFORMER THROTTLE AND YOUR TRAIN

FORMER MUST BE USED

Picture your train pounding down the iron pike at 75 scale miles per hour. A station looms ahead, You ease her to a stop. . . Now you give the highball signal to continue your run. Note this point carefully. With ordinary electric trains your train must fair hack a pol force it can go forward. Can you imagine a real train doing that? Of course not, And you don't have to jockey back and forth with an American Pilver either.

Thanks to its new Directional Remote Control, it glides forward or backward or stands still—with headlight to—the moment you touch the control.

When used in connection with Block Signals, as Konstikin Talking Railroad Station and other equipment for automatically stopeing trains. Directional Remote Control assures trains resuming run in the same

direction in which they were last traveling—nnless you intentionally change direction by pressing control button.


Directional Remote Control comes only with trains Nos. 4127, 4128, 4129, 4130, 4131, 4132, 4133 and all HO Gause Trains.

SPECTACULAR TWO TRAIN OPERATION

Two tasis are operating on the same track in the same direction. Train A operate on Standard Remote Central, Train in operates on Directional Remote Central, Train in Starts to oversithe Train A; a reser and collision seems imminent. But non—by Directional Remote Central you step Train B, as Train A consistent on. When a safe distance shade, you led Train B resume in run. Directional Remote Central enables you to step Train B whichest nopping Train A. Train B controlled by Directional Central bottom, and the same properties of the direction in which other is manife,

No. 540 Directional Control Button which comes with Train Sets 4127, 4128, 4129, 4130, 4131, 4132 and 4133 must be used for locomotive operation.

THE OLD WAY



ward direction is stopped. Before it can go forward again, it must first back up. Directional Remote Control banishes this waste motion and allows train to proceed







Bell Danger Signal, Doubly realistic! Bell rings-light blinks when train passes,

PENNSYLVANIA 4-6-2

* Directional Remote There's no guesswork about these automatic couplers-they always work.

- - * 3/16" Scale Model * Pacific Steam Type
 - * Worm Drive
 - * Automatic Coupling * Electric Uncoupling
 - * Die Cast Cars

No. 4127 PENN K-S ERRIGHT TRAIN WITH "CHOO-CHOO"-25 PCS -49" LONG

You operate this mainliner by the marvelous realistic Directional Remote Control described on the opposite page. Power is ating chorus of choo-choos. Locomotive, tender and all cars are die cast and accurately built to 3/16° scale from actual Set consists of: No. 519 Leccenotive; 518C Tender, 17½" long; 506 Box, 7½"; 504 Gendola, 7½"; 512 Tank, 7½"; 516 Caboose, 6", Track: 12 No. 680 curved, 5 No. 681 straight, 1 No. 675 straight with built-in uncoupling device. 1 No. 450 Track Terminal, 1 No. 510 Directional

> No. 4127 TRAIN SET . . 24 PIECES-5434" LONG . .

With the stirring noise of its choo-choos in your ears . . . with one hand on the throttle and the other on the magic Directional Control button, you will almost feel you are sitting in the cab of this famous crack express. Lucite headlight and inweled markers. All cars are die cast, 12" long, built to 3/16" scale and finished in Tuscan Red enamel, electrically baked, Every car is illuminated. Baggage and club car has sliding and hinged doors: Pollmans have hinged doors. All have 6 wheel trucks. Automatic couplers, which can be uncoupled instantly by remote control. Track makes 160° oval of 40° diameter, 150 or 250

Set consists of: No. 559 Locemetive; 558C Tender, 17½° long; 521T Baggage and Club, 12°; 2 524T Pullmans, 12°, Track; 12 No. 680 straight, 1 No. 675 straight with built-in uncoupling device, 1 No. 450 Track Terminal, 1 No. 540 Directional Control




SUPER-DETAIL . . . PRECISION BUILT . . . 3/16" SCALE MODELS

NICKEL PLATE 0-8-0

- * Directional Remote
- * 3/16" Scale Model
- * Steam Type
 * Worm Drive
- * Automatic Coupling
- * Electric Uncoupling

N. Y. CENTRAL 4-6-4

- * Directional Remote
- Control
- * 3/16" Scale Model
- * Steam Type
- * Worm Drive
- ★ Automatic Coupling
 ★ Electric Uncoupling
- ★ Electric Uncouplin
 ★ Die Cast Cars



No. 4129 YARD GOAT SWITCHER WITH ELECTRIC BELL 25 PIECES—45" LONG . .

Railroof's busines Incomotive, Built-in electric built dangs a warning. Directional Remote Centrel and wom drive give you instantances massive over both speed and direction to essential in realistic switching operations. Die cut al fife' scale controvation throughout, the properties of the needing risks. Lucine electric headility for front of locomotive and rear of themet. Illuminated coboose, Automatic coupling on front of locomotive, tender and all cars. Electrical 200 watt transformer recommendable of commentation. Track industs (50° with, 150 or 220° watt transformer recommendable).

Set consists of: No. 575B Locomotive; 576B Tender, 14½" long; 508 Hopper, 65½"; 510 Cattle, 7½"; 512 Tank, 7½"; 516 Caboon, 6". Track: 12 No. 600 curved, 5 No. 601 straight, 1 No. 675 straight with built-in uncoupling device. 1 No. 450 Tack Terminal, 1 No. 540 Directional Costeol Bulton.

No. 4129 TRAIN SET

No. 4130 N. Y. C. J-3a FREIGHT TRAIN WITH "CHOO-CHOO" 25 PIECES-50%" LONG . .

Litten to the slow rumble of those "choo-choos" as this die cust freight waits for you to open the theotie; ... hear the "Choo-choos" mount in intentity as your train glides forward ... then burst into a suraing crescends at top speed. With such glorious issued forward ... the burst into a suraing crescends at top speed. With such glorious issued forward not reverse train operation, this set is tops in realism. Def cust care have automatic couplers, baked enamed finish. Wrecker has revolving cist; boom with hook they retire sen! observed. Choose as illuminated. Take Ambel 106" ords. 130 or 250 wait transitives and lowers. Choose as illuminated. Take Ambel 106" ords. 130 or 250 wait transitives and lowers.

Set consists of: No. 531 Locomotive; 563C Tender, 19" long; 506 Box, 7½"; 504 Gondola, 7½"; 516 Globons, 6". Track; 12 No. 680 curved, 5 No. 681 straight and 1 No. 655 graight with built-in uncoupling device. 1 No. 40 Tenta Tentania, 1 No. 510 Directional Control graight with particular control grains with particular control grains.

No. 4130 TRAIN SET . .

No. 4131 N. Y. C. J-3α PASSENGER TRAIN WITH "CHOO-CHOO" 24 PIECES-56" LONG . .

A die east 3/16° scale replica of the crack limiteds that speed across the limpire State, that train is operated by Directional Remote Coards 1, 1, 1 has balleds "Choos Choo" that the coards of the

Set consists of: No. 531 Locomotive; 563C Tender, 19° long; 521G Baggage and Club, 12°; 2 524G Fullmans, 12°, Track: 12 No. 689 curved, 3 No. 681 straight, 1 No. 675 straight with built-in uncoupling device. 1 No. 450 Track Tenninal, 1 No. 640 Directional Control Button.

No. 4131 TRAIN SET . .

and DIE-CAST FROM FRONT END TO REAR END





No. 4130 N. Y. C. J-3a FREIGHT TRAIN WITH "CHOO-CHOO". .







SEE HOW THESE EIGHT HUGE DRIVE WHEELS

You can tell by just looking at flowe massive drive whether that they have tremendous tractive force. And to see them thundering over the rails—with their eccentric arm triple action piston rods, side rods, and connecting rods dizzily flashing back and forth, is a specached that brings a glow or pieto to very boy regimer. . . Dad, too Hurrying to keep pace with the 8 drive wheels are the 4 pony and 4 booster track wheels. . . and an additional 12 wheels in booshed ica cut ration on the tender. Thus wheels. . . and an additional 12 wheels in booshed ica cut ration on the tender. Thus confident the control of the control of the section of the control of the co

UNION PACIFIC 4-8-4

- * Directional Remote
 - Control
- * 3/16" Scale Model

 * Northern Steam Type
- * Worm Drive

 * Automatic Coupling
- * Electric Uncoupling

 * Die Cast Cars

Directional Remote Control at your finger tip. Press button to change direction of train.



"CHOO-CHOO" AND WORM DRIVE . . . GIVE FULL OPERATING REALISM

Picture yourself wheeling this super power battelship. At your finger fips are your throttle, for controlling speed—and the Directional Remote control batton for controlling the direction of your train. Turn on the yourse-—and vallet your direction of your train. Turn on the yourse-—and vallet your great your ears. Open the throttle! Power surges through the worm gast affew, wheels turn and the "choos-choos" come in quakemed restless snorts. Open your throttle wide and the "choos-choos" focus the turnpersons indeedy of snorte the "choos-choos" focus in the property of the property of

LOCOMOTIVE No. 534-TENDER No. 567C .



8 DRIVE WHEEL HOTSHOT THAT HAS EVERYTHING



No. 4132 UNION PACIFIC FREIGHT TRAIN WITH "CHOO-CHOO" 25 PIECES-5214" LONG .

Die cast to actual 3/16" scale from its headlight to the last detail of the illuminated caboose, this powerful Rocky Mountain freight represents an outstanding achievement in realistic appearance and operation. Equally realistic is the stirring sound of its "choo-choos." Directional Remote Control, worm drive, automatic couplers and electric uncoupling enable you to make up your train and send it pounding down the main line in true railroad style. Cars finished in electrically baked enamel. Sixteen sections of

Set consists of: No. 534 Locometive: 367C Tender, 21½* long; 510 Cattle, 7½*; 508 Hoppe, 6½; 1312 Task, 7½*; 336 Catolone, 6. Task, 12 No. 460 carved, 57 Task Terminal, 11 No. 340 Directional Control Buttern succepting device. 1 No. 450

No. 4132 TRAIN SET . .

"CHOO-CHOO" 24 PIECES-59" LONG .

Headed by the handsomely groomed locomotive described on the opposite page, this superb limited is the wonder and glory of every boy who owns one. Lecomotive has Lucite headlight. All cars are illuminated. Baggage All cars die cast, 12" long and finished in green enamel. Automatic couplers and electric uncoupling. Worm drive and Directional Remote Control assure smooth, quiet operation and instant control in maintaining or changing direction of train. "Choo-Choo" gives realistic sound effects. Track makes 160" oval. 150 or 250 watt transformer recommended.

Set consists of: No. 534 Locomotive; 567C Tender, 21½° long; 521G Baggage and Club, 12°; 2 534G Pullmars, 12°. Track: 12 No. 630 curved, 5 No. 681 straight and 1 No. 675 straight with built-in uncoupling derive; 1 No. 475 Track Terminal; 1 No.





Suggested TRACK LAYOUTS - Lay your rails to fit your own right of way





Track 18 Curve 4 Straight and



No. 15-Space 45" x 90"







ners with a con-



No. 14-Space 60" x 85" 10 Straight and 1 pr. of















No. 8 - Space 50" v 80" Track 16 Curve 12 Straight and

No. 10-Space 80" x 120"

No. 16-Space 80" x 120









No. 21-Space 80" x 80" 4 Straight 1 - 602 Crossover





No. 78-"SAFETY FIRST" TRANSFORMER

No. 98 "SAFETY FIRST" NEW TWIN CONTROL TRANSFORMER - 150 WATTS-40 CYCLES

Dual Speed Control Levers, Will





pilor light shines when current is passing through transformer, Simplified three terminal post arrange-

ment eliminates complicated equipment circuits,

Engineer's Throttle Control standard on all models,

trains, these transformers are equally good in the

operation of other electrical toys,

While especially made to operate American Flyer



No. 128 "SAFETY FIRST" NEW TWIN CON-TROL TRANSFORMER-250 WATTS-40

No. OR "SAFETY DIRECT" TRANSFORMER 100 WATTS-60 CYCLES

Has green "tell tale" pilot light which



"Safety First" is the motto of railroads, and the motto of American Flyers' engineers in perfecting these new super-power "Safety First" transformers. Output limited to 15 volts, materially reducing danger of burning out lights, motors, etc. Built-in circuit breakers protects fixed as well as variable voltage. Red pilot light flashes on when short circuit

TRANSFORMER Nos. 5, 5A, 5B, 6, 6A, 7B

RECOMMENDED FOR TRAIN SETS Nos. 4101, 4102, 4103, 4104

Nos. 4105, 4106, 4107, 4108, 4109, 4110, 4111, 4112, 4113, HQ-103, HQ-104, HQ-105

Nos. 4114, 4115, 4116, 4117, 4118, 4119, 4120, 4121, 4122, 4123, 4124, 4125, 4126 Nos. 4127, 4128, 4129, 4130, 4131, 4132, 4133 Note-It is advisable to secure the higher wattage transformer to provide for future additions to your railroad.



No. 11 "SAFETY FIRST" TRANSFORME

Nos. 6, 64, 78, 88

Nos. 88. 98.

Nos. 98, 128





No. 10 "SAFETY FIRST" D. C. INVESTED









No. 677 AUTOMATIC TRACK TRIP Fits into straight track section completes circuit as train passes.

Complete with standard section of straight track. Fasily snapped on and off, Equipped

No. 676 AUTOMATIC COUPLERS . . per pair

axle spring eastruck housing.



Operates gate signals or other

No. 450 Teach

No. 412 12 Steel

No. 414 4 Fibre

Terminal .

Treek Pine

Truck Pins

No. 404 REMOTE CONTROL-90° CROSSOVER

With Control Button The remote control crossover, No. 604, includavoid collisions. Whenever trains approach for No. 604 is diagram 1 on page 32.

No. 602 CROSSOVER Without Control Button

"O" GAUGE TRACKS-40" DIAMETER





No. 621 1/2 Straight Track-5" long

New type remote control uncoupler is built into 10" straight track section. Operates only with new style American Flyer automatic couplers, Complete with electric control button,

Make one train roar around the track – while keeping another train idle on the siding –

Perhaps you've seen pictures of a modern railroad control room. Herekeeping an eagle eye on the maze of tracks around him, a cool headed towerman throws switches (or "bends the iron" in his language) as first one train and then another demands the right of way.

Today with American Flyer Double Áction Remote Control Switches you, too, can perform similar feats of wizardy. By throwing switches at the right moment . . . stopping one train . . . starting another, you can make spectators gasp with wonder at your skill.

For example: A DeLuxe Express is hitting the curves on the main line. A

For example: A Declare Express is litting the curves on the main line. A freight on a siding is getting under way. The switch ahead is open. A collision seems certain!

But you're on your toes. You know your job. With switch control lever you

close the open switch automatically stopping the freight and the express whizzes by.

Then as soon as the main line is clear, you open your switch—start your

Then as soon as the main line is clear, you open your switch—start y freight and see it roll majestically on its way.

Readily set for conventional operation or for dead siding.

Readily set for conventional operation of for dead stding.

Inventions such as this make American Flyer trains the choice of boys who want all the thrills that railroading provides.

No. 688 PAIR "O" GAUGE SWITCHES (Remote Control)
Quick action electric switches with red and green lights and remote control
box with two switch control levers.






Similar in construction to the electric switches, but operated by hand. No lights included with this pair of switches.









No. 490 WHISTLING EXPRESS CAR (Remote Control) . .

Here's a big double value-a realistic whistle and a 3/16" scale model express car that can be used on both passenger and freight trains. This car is the newest development in direct from train whistling. You can sound the whistle any time and anywhere with the remote control push button. This Whistling Express Car cannot be used in connection with Directional Remote Control Trains or with trains operating on 25 cycles or on D.C. except with use of No. 10 D.C. Inverter. When you have any of these conditions, use the billboard described below.

"CHOO CHOO" TENDERS HEAR 'EMI

Bring your present American Flyer 3/16" scale model trains up-to-date by adding one of these new tenders with built-in "Choo-Choo," miniature railroad's latest and newest sound device. Purchased senarately and easily added to your present equipment. 5 units to choose from with "Choo-Choo" built into tender that is correctly designed for the train you now own. Get one today-they make electric trains sound like real ones.

> No. 577 WHISTLING BILLBOARD (Remote or Automatic Control) INCLUDING AUTOMATIC TRACK TRIP

Whoo-oo-oo! What a realistic and startling sound every time your train passes over the automatic track trip. Or you blow the danger whistle any time you want by pressing the control button. Whistle can be operated with Directional Remote Control, Operates on 25 or 60 cycles, A.C. or D.C.

PAGE 36

"СНОО-СНОО" No. 564C ATLANTIC TENDER WITH «сноо,сноо»

No sssc R & O TENDER WITH

No. 5580 PENN

WITH

«сноо-сноо»

"СНОО-СНОО"

No. 5630 HUDSON TENDER WITH

"СНОО-СНОО

No. 5670 UNION PACIFIC TEMPLE WITH "СНОО-СНОО"









No. 472 AUTOMATIC ARMY UNLOADING CAR . .

UNCLUDES AUTOMATIC TRACK TRIP AND SINGLE BUTTON CONTROL BOY These are the days when Uncle Sam is motorizing cavalry ... and American Flyer develops the first unloading car for rapid-fire handling of an armored truck. Just press the remote control button and automatically the platform on the car swivels, tilts and shoots the armored truck down the incline. Car brilliantly colored in enamel finish 75/4" long



THE NA 404 BACCACE CAR

Double truck nickel journal boxes. trically baked enamel, Car 10%" long,

No. 4951 COACH (with light) No. 495 COACH (without light)

Both types finished in red, green or tuscan; No. 495 also in blue. Double Car 10%" long.







AUTOMATIC ACTION CARS and other 3/16" Scale Model Pressed Steel Cars

A MONTH





PINT No 4061 PHILMAN CAP (with light) . . .

Like real Pullmans even to imitation shades in window. Double truck. nickel journal boxes, 12 wheels, Finished in red green or tuscan electrically baked enamel. Car 1036" long





Left - No. 497L OBSERVATION CAR (with light) Stundy and sleek-double truck, nickel

10%" long.



(INCLUDES SPECIAL TRACK SECTION AND SINGLE BUTTON CONTROL BOX) In goes one mail bag, out pops another as mail car speeds over the special section of In goes one mail bag, out pops another as mail car special over the special section of track. Just press a remote control button and automatically the notal pick-up arm on the track. Just press a remove control buston and automatically the metal pick-up arm on the car is extended picking up one bag as another is ejected. Lots of action, Mail car finished in Pullman green, 101/4" long.



No. 474 AUTOMATIC DUMP CAR UNICHURES AUTOMATIC TRACK TRIB

COAL BIN AND SINGLE BUTTON CONTROL BOYL

Press a remote control button, the side of the car swings open, and the coal pours out into the unloading bin. You can do what every railroad wishes it could - unload freight automatically where and when you wish by electricity. Car 73/2" long.



No. 476 GONDOLA CAR Pressed Steel. Sturdily built with brake wheel, 7%



No. 483 GIRDER CAR Pressed Steel, Loaded with bridge girder, Has brake wheel, 7% long,



No. 512 TANK CAR . simulated filler cap. Car 746"



No. 486 HOPPER CAR ... Pressed Steel. Ludders, beake wheel and manual con-trol lever, 656" long.



No. 508 HOPPER CAR



No. 480 TANK CAR . Pressed Steel, Ladders, hand rail and brake wheel.



No. 482 LOG CAR .
Pressed Steel. Six realistic logs and brake wheel.



No. 486 PLOODLIGHT CAR Pressed Steel. Light turns and tilts on swivel base. 756" long.



No. 478 BOX CAR
Pressed Steel, Sliding doors, ladder and brake wheel.



No. 484 CABOOSE No. 484, CABOOSE (with light) Pressed Steel, Cupola, end rails, ladders, 6½° long.



No. 481 WRECKER
Pressed Steel, Cab and boom turns on swivel base.
Broom and book raises and lowers, 754° long.

3/16" SCALE MODEL ROLLING STOCK

to give your railroad resplendent realism





No. 516 CABOOSE . Nickel loveral boxes, Car 6"



No. 514 WRECKER CAR
Die-cast, Cab and boom turn on swivel, Boom and hook raises and lowers. Car 7½* long.



No. 521 BAGGAGE AND CLUB CAR . . . Dis-cast. Illuminated. Sliding and hinged doors, 12 wheels. Car 12" hope. Finished in cores.



No. 506 BOX CAR . ladder, Car 750" long.



No. 524 PULLMAN CAR Dir-cast, Eleminated, Hinged doors, Car 12" long. Finished in pages.



No. 510 CATTLE CAR ... Die-cast, sliding door, brake wheel, ladder, Car 732"

Make Trains STOP and GO automatically as Lights flash Red and Green SEMAPHORE BLOCK SIGNAL SYSTEM

Make "Safety First" the watchword of your American Flyer system by installing a new Scarchlight or Semaphore Block Signal System to operate your trains with true-to-railroading realism—and with the dazzling effects that lighting creams.

Look at the pictures below and see what happens. Two trains are racing around the single track. You see the rear train rapidly gaining on the first, Breathlessly you watch. Will there be a collision?

watch. Will there be a collision?

No! Your American Flyer signal system automatically

stops the second train and the signal light stays red until the first train has cleared the block.


But look again! Now the first train is out of the block. The red signal turns to green. The block is clear. The second train gathers speed and once more is storming

When running one train you can make the lights flash red and green, you can raise and lower the semaphore arm—all by remote control . . . letting the block signals or the semaphore signals stop and start your train.

NOTE: ON TRAINS EQUIPPED WITH STANDARD REMOTE CONTROL, IT IS NEC-ESSARY TO MANUALLY DISENGAGE THE CONTROL TO PERMIT THE TRAIN TO OPERATE AUTOMATICALLY WITH BLOCK SIGNALS AND OTHER TRAIN CONTROLLING EQUIPMENT.

down the main line.

Get the Thrill of Highballing Two Trains on the Same Track without danger of collision





GAUGE EQUIPMENT EVERY PIECE ACCURATELY BUILT TO





No. 583 ELECTROMATIC CRANE . .



No. 589 PASSENGER AND FREIGHT STATION . . . (Includes Truck Torminal) Big passenger station with realistic windows, swinging door and interior illumination. Size 6" x 12" x 8".



Extra a-Keestikin

Record

No. 596 WATER TANK Includes Track Terminal and Push Button t by remote control. ing light on top of tank Size 11" x 6" x 6½".



Includes Automotic Track Trin Produces the sound effects of real railroading. Stops and starts your train automatically. Size 43/2" x 63/4" x 53/4". No. 585 TOOL SHED-



Track Terminal Included No. 593 SIGNAL TOWER (with track terminal) No. 612 FREIGHT AND PASSENGER STATION WITH CRANE No. 594 TRACK GANG SET (Animoted)









No. 580 DOUBLE ARC LIGHT

(Includes truck terminol)

Makes night operation more spectacular. Frosted bulbs. Sturdy base, Baked enamel finish, Size 6½" x 1½".



No. 591 CROSSING GATE WITH WATCHMAN'S SHACK.
Your speeding train automatically controls the raising and lowering of double arm gates, Red light shines when gate is down. Die-cast. Enamel finish. Size 10" x 51/2".



No. 579 STREET LIGHT (with track terminal) Modern design with frosted balb.







BULBS - ALWAYS HAVE EXTRAS ON HAND Lamps are used as follows: No. 440 in all Locomotives and









No. 582 AUTOMATIC BLINKER SIONAL [With Automotic Freek Trip]
Double bull's eye Lucite blinkers flash red automatically as train passes, Mounted on sturdy base. Enzenel finish, Size 4½" x 23½" x 23½" x 2 3/16".

No. 577 WHISTLING BILLBOARD (Remote or Automotic Control) Includes Automotic Trock Trip and Signol Control Box Whistles anytime by remote control or automatically through a track trip. Illuminated, Size 47 x 73.5° x 4°. No. 611 TRESTLE BRIDGE (Includes Track Terminal)
Built of heavy steel. Tenders house with interior light on top. Bright enamel finish. Size 17% x 8½ x x 4½ x.

"O" GAUGE TUNN No. 247-11" Straight . No. 248-14" Straight .



Gilbert AMERICAN FLYER TRU-MODEL "HO" TRAINS

Not only do these "HO" trains represent the utmost in realism, but their small size enables you to have elaborate and exciting track layouts in extremely small space. An especially notable achievement is the 2-rail track, eliminating a center rail. Brass wheels on opposite tender trucks act as current collectors-while all other wheels are of Bakelite. Drive wheels have metal rims. 20 to 1 year reduction assures amazing pulling power. Actual stop watch tests show these matchless trains can attain a speed of 190 scale miles per hour. While these "HO" trains are built to hobbyists' precision standards, their modest price puts them within the reach of all to whom miniature railroading is an

ever-thrilling adventure.

Note: Directional Remote Control on Trains HO-103, HO-104 and HO-105 will not operate on D.C. where a reducer is used. The No. 10 D.C. Inverter will have to be used to operate these trains on Direct Current, Will not operate



HO-103 3 CAR "HOT SHOT" FREIGHT TRAIN-31" LONG Directional Remote Control—Automatic Coupling

A marvel of tru-model design and precision construction, this 14" die-cast directional remote control N, Y, C. Hudson type [ocomotive, with its tender and cars surges over the iron. Beaming Lucite headlight and eccentric arms, valve levers and piston rods that shuttle back and forth with gleaming realism. Each of the die cast cars has automatic couplers.

Complete HO-103 Train set consists of: 1 HO-412 Locometive and Troder, 14" long; 1 HO-417 "Lebigh N. E." Gendola with metalescent finish; 1 HO-414 "Merchants Despatch" Car, white and tuscan red; 1 HO-420 Cabsone with curpola, red rails and ladders; 12 8%" sections HO-260 curved track (makes 100" circle); Track Trummia and Control Box.



HO-104 3 CAR "HOT SHOT" PASSENGER TRAIN-42" LONG Directional Remote Control-Automatic Coupling

Thrilling Tru-Model passenger train, Same fine die-cast directional remote control locomotive that's made American Fiver "HO" trains famous, 9" cars, with automatic couplers, Bakelite wheels, Cars finished in green baked enamel, Complete HO-104 Train set consists of: 1 HO-112 N. Y. C. Hudson type (4-6-4) Locenetive and Tender, 14" long; 1 HO-121 Buggage and Mail Car; 2 HO-122 Passenger coaches; 12 8½" sections HO-260 curve track. Realistic Bakelite Roadbed (makes 109" circle—32" diameter); Track Terminal and Control Box.



75 or 100 Wott Transformer recommended

HO-105 7 CAR TRANSCONTINENTAL RED RALL-561/4" LONG . . . Directional Remote Control-Automatic Coupling

The glory of "HO" railroading combining authentic appearance with breath taking performance this 7 car "Red Ball" deserves its reputation as the finest value miniature train ever offered to boxs or grown-up hobbyists.

Caught B.O.66. Talk ast consist of a 180-118 N, C. Balom type (4-64) Leconsteir and Teader, 45 long; 180-118 N, Perick Fait hypers? Rd. Car, Taucar red with spike (see whice, 1804) and a visit, 110-118 "F. R. C. Goodski, T. Longar red with spike (string; 110-118 "Feation Despited" Rev. Taucar red, white idios, Indies and circular; 110-118 "Sacalar" Tank Car, Shirt tank, white latening; 110-118 "Teacor" Tank Car, Shirt tank, bank line of the contract of the c

HO-105 TRAIN SET . .

BUILT TO SCALE FROM RAILROAD BLUEPRINTS - CORRECT IN EVERY DETAIL - REALISTIC "2 RAIL" TRACK

MOUNTED ON BAKFLITE ROADBED

ADD A SECOND ENGINE MORE CARS TO YOUR LINE AND DOUBLE YOUR FUN!

Build 'em Yourself if you like

Build 'Em yourself - Miniature Tru-Model Locomotives and Rolling Stock in ready-toassemble kits

Building these realistic "HO" gauge Tru-Model locomotives, tenders and cars is nearly as much fun as running them afterwards. Actually to see a model of a true-to-life locomotive take shape in your own hands-as you add one part after another-gives you a glorious sense of achievement. And you don't have to be an expert craftsman to follow the easy in-

Kits are complete with die cast parts, automatic couplers, paints, brushes, decalcomanias everything you'll need to build a model that will make you the envy of all your friends. Every section of every locomotive, tender and car is machined, drilled and tapped with flawless precision. No filing or scraping is necessary to make them fit perfectly. Get yourself an "extra bonus" in fun and enjoyment by making your own "HO" train - look over these splendid kits now and decide which ones you want first.



HO-120K CAROOSE This fascinating kit builds an along with easy-to-follow in-

HO-120 CABOOSE . . 41/4" long. Perfectly scaled. Cupola, end rails and ladders,





HO-117K "L.N.E." GONDOLA KIT and HO-118K "PENN" GONDOLA KIT . eq.

HO-117 GONDOLA CAR "Lehigh New England" 5%" HO-118 GONDOLA CAR



HO-113K "PAC. FRUIT EXP. HO-114K "MERCHANTS DES." REFRIG. CAR KITS on. lite wheels, automatic couplers, paint. Everything to build a fine refrigerator car. HO-113 "PACIFIC FRUIT EXP." 5% LONG

Tuscan Red finish, yellow sides. HO-114 "M. D." REF. CAR 574" LONG Ladders, catwalk, white sides,



HO-115K "TEXACO" TANK CAR HO-119K "ILLINOIS CENTRAL" 60. This kit builds an "Ill. Cent." Kits make Tank Cars which are

HO-115 "TEXACO" TANK CAR-5%" LONG Silver finish. Black lettering on HO-116 "SINCLAIR" TANK CAR-5%" LONG . .

Black, white letters.





HO-112K N.Y.C. (4-6-4) LOCOMOTIVE AND TENDER KIT Armsture, field, gears and drive wheels assembled to engine

HO-112 N.Y.C. (4-6-4) LOCO-MOTIVE AND TENDER only. See page 42.



HO-121K BAGGAGE AND MAIL

Builds authentic model of pop-

ular combination car. Auto-

CAR KIT



KIT

Loads of fun to rut together.

double trucks, paints, decals,



der. Refrigerator Car. Oil Car. Gondola and Caboose HO-122K PASSENGER COACH

headlight, Instruc-

ELE PRINCIPAL DE . Unn Little mose

gears and drive wheels assembled to engine frame. Directional remote control unit included. Instructions, paint, brushes, etc. Operates on A.C. only. See page 42,



Builds N. Y. C. 4-6-4 Hudson type, locomotive and tender, Baggage and Mail car and two Passenger cars. Armature, field, gears and drive wheels assembled to engine frame, control unit inincluded, Bulb for









"HO" TRU-MODEL EQUIPMENT makes your system look like A REAL RIGHT OF WAY



HO-258 PASSENGER AND FREIGHT STATION

Tru-Model illuminated form with regulation ing platform with slid-









HO-254 GIRDER BRIDGE Modern plate girder type bridge authentically de-signed and built to correct scale dimensions. Fin-sahed in black and perfect in every detail.





HO.265 MANUAL CONTROL TRACK SWITCHES Extra excitement is added to the fun of HO gauge railroading when you build the interesting track layouts these switches permit, 12 curve tracks form a 16" radius circle,

HO-268 REMOTE CONTROL TRACK SWITCHES. Equip your track layout with these fascinating remote control switches and trains obey

your bidding as if by magic, The unique control box included with each pair of switches allows you to control them from a distant point, Red and Green lights on switches indicate in which direction they are set, Realistic Bakelite Roadbea

2 RAIL TRACK

16" Radius-(No Center Rail)-Mounted on realistic Bakelite Roadbed. The tracks are perfect replicas of the real thing . . . there is no center rail. This is made possible by a special type of power contact through opposite brass wheels on the tender trucks,





Two 8" straight track sec-

make possible a variety of

HO-262 - 90°

CROSSOVER

HOL250 TRACK

May be attached to any

TERMINAL

HO-261 STRAIGHT TRACK 8" long -

HO-263 15 SEC, STRAIGHT TRACK-4" long...... Better plan to get enough sections of this type so you'll have an exciting "straightaway" in your track layout.



a 16" radius circle.




HO-260 CURVED TRACK 836" long . HO-264 1/2 SEC. CURVED TRACK-4 3/16" long.

Curved track is required to build the circle which is the basic track layout, All other layouts are elaborations of the



HO-277 TRACK TRIP

Trip fits on straight completes circuit as train passes over. Operates signals or any







WORKED OUT A CHEMICAL TRICK FOR CATCHING A SNEAK THIEF Dean I. Walter won a cash reward by locating a locker thief at his school. A solution that turns dark when tion that there light was so arranged as to spill on the arranged as to spin on the culprit's hand. That gave the thief away.

GILBERT CHEMISTRY SETS 10 REASONS WHY BOYS WHO WANT TO DO THINGS IN CHEMISTRY CHOOSE GILBERT LABORATORY SETS

MORE BOYS HAVE WON FAME AND BIG AWARDS WITH GILBERT CHEMISTRY SETS THAN ANY OTHER CHEMISTRY SETS MADE

team, boxer or pole vaulter? You know the answer. It is the one done. The door is wide open for you to do the same. You can apply the same test when it comes to choosing the best

chemistry set and when you do you'll say to Dad "I want a Gilbert Chemistry Set and nothing else but."

Because year after year more hore have won fame and hie awards with Gilbert Chemistry Sets than any other bind. A record like that doesn't "just happen." It is proof that Gilbert Chemistry Sets are really better-that you can perform more exciting and realistic experiments with them-that they make possible more brilliant achievements in chemical research.

Boys, what is the real test of the "best" football team, baseball Read the true stories of what other Gilbert boy chemists have

\$200.00 ANNUAL AWARDS

To the boy doing what, in my opinion, is the most important research in Chemistry, Microscopy or Electricity in 1943. I will award \$100.00 in cash. To the ten boys doing the next most important research. I will award \$10.00 each. Applicants must not be over 17 years old and must send me full description of their experiments by May 1st, 1943.

Founder of the Gilbert Hall of Science

- Developed at the Gilbert Hall of Science, the world's largest institution devoted to bringing the wonders of modern science to modern boys.
- Manuals written in clear boy language by Dr. Treat B. Johnson, Ph.B., Ph.D., famous Yale professor-author of over 300 articles on chemistry -and eminent authority on chemical research.
- Far more than toy sets-because range of chemicals and apparatus are based on real laboratory technique.
- All chemicals made to Gilbert Hall of Science quality standards.
- Manual and chemicals for exciting and sensational experiments in inorganic chemistry-organic chemistry-and electro chemistry.
- Chemicals in lightproof, non-breakable con-



INVENTED SPECTACULAR "GREEN FAIRY FIRE" check for \$100.00 was Stanley Stewart's reward for developing his "Green Pairy rire" experiment in his Gilbest Chemistry Laboratory. Take a tip from these sucrake a up from these suc-Bet a set with "Gilbert, stamped on the box-



EXPERIMENT Here is Jack Cartes in his Gilbert Chemical Labora Gilbert Chemical Labora of tory working on some of the original experiments the brought him a check that brought him a check for \$50.00. Jack is an expert at making strange chemicals change color and form in mysterious ways.

WON \$50.00

OPENING THIS BIG GILDER CHEMISTRY LABORATORY is like opening the door to hundreds of Scientific Secrets


DOUBLE VALUE! DOUBLE FUN! Spectacular
Experiments in both Chemistry and Glass Blowing

 REMEMBER, Gilbert Chemistry Sets are the choice of famous boy prize winners in chemical research. Big cash awards every year.



nsy of Monsamo Chemical Company, Sc. Louis, Mo

YOU can tell by the was tray of chemicals and pieces of apparatus—by the real laboratory spile racks and shelves, that this two down by the woods nothers is the laser word in truly scientific equipment. Generous the spile of experiments. With this marcelous solific you can write messages in fire init, racks exhemical weather flag test a rain for ion, turn a lemon into an electric cell, racks your lower paints, parkers and sook swite. A total your finger tips. Two manulass one on chemistry and core on gatas blowing.



Conquer the Unseen Forces of Strange Chemicals with these Scientifically

No. 2



No. 2 JUNIOR CHEMISTRY LABORATORY This sturdy blue wooden laboratory cabinet not onl contains a generous supply of chemicals and gleamin appuratus, but also has 18 inches of metal shelf room and test tube racks, Performs 151 experiments.

No. 3 INTERMEDIATE CHEMISTRY LABORATORY

experiments that this laboratory outfit puts at the tips. Big manual by noted Yale professors how to perform them with scientific realism, lots of elbow room, too—for the handy racks es total a length of three feet. This two-door den cabinet is so crammed with chemicals and



AUTHENTIC LABORATORY TYPE EQUIPMENT



GENUINE LABORATORY TYPE BALANCE SCALES



THE ORIGINAL, COMPLETE, SCIENTIFIC, PROFESSIONAL-LIKE

LABORATORIES-RECOGNIZED LEADERS FOR 25 YEARS

No. 15

No. 10 INVENT

lo. 10 INVENTOR'S CHEMISTRY LABORATORY

To display the Gilbert Hall of Science, this four confirment wooden cabinet enables you to do you renote's research in chemical maje; glas looking and chemistry. The 600 experiments the out can perform go far beyond the limits of scalled "jinst as good" sets. They are more coloruled of the confirment of the confirmen

THE ONLY Chemistry Sets O. K.'d by The Gilbert Hall of Science and O. K.'d by America's Most Famous Boy Chemists





No. 15 MASTER SCIENTIST'S CHEMISTRY LABORATORY

wan yaw own this humbands inclusive be you can contently then you now you may be conting and spotscaular fields of research as repriments with dy-ice, artificial refrigeration, electrochemistry, electrochemically, electrochemically, the contently of the contently of the contently of the contently of the clearly written manuals. The range of lined experiments tooks over 800 and you can perform no infinite market of original experiment of your and you can perform no infinite market of original experiment of your performance of the contently of the contently of the contently generator, alcohol lump and manerous other gleaming pieces—all market to (other Hall of Science, quality standards, Over 9 feet or 3 del from and

FOR TODAY'S FUN AND TOMORROW'S CAREER



Gilbert toys are different from ordinary toys. They are more fun... because every day you can do something new, interesting ... because they enable you to do now the bold, adventurous things you want to do

This is the age when the world's most -engineering, chemistry, electricity, microscopy and other forms of scientific activity. There is as much romance in discovering the secrets of strange chemicals as the secrets of strange lands. There is as much exciting fun in building a giant engineering marvel as in exploring a giant mountain. There is as much glory in conquering the wild forces of electricity as in conquering wild tribes.

Thus, the Gilbert Hall of Science brings you the all-electric Erector - the construction set that builds actual operating models of spectacular marvels of the machine age: Gilbert Polarizing Microscopes - the sets that reveal the wonders of nature's hidden colors: Gilbert Electrical Sers - chock full of fascinating fun and scientific wizardry: and other Gilbert scientific toys.

See all of the products of the Gilbert or toy store ... tell Dad which ones you want most for Christmas ... and get in on the fun of playing a leading part in the

C. Gillert FOUNDER OF THE GILBERT HALL OF SCIENCE





PRICES-AMERICAN FLYER TRAINS AND EQUIPMENT Page 37

Page 41 (cont.)

Pages 24 and 25

Pages 6 and 7

Pages 0 and /	Pages 24 and 25	Page 3/	Page 41 (cont.)
K559\$12.50	No. 4125 \$34.50	No. 472 \$ 3.95	No. 611 \$2.50
K531	No. 4126 34.50	No. 495L 3.00	No. 247 1.00
	140. 4120 04.50		
K534 22.50		No. 495 2.75	No. 248 2.00
K521 4.50	Page 27	No. 494 2.75	
K524 4.50	No. 4127 \$35.00	No. 492 3.95	Page 42
K508 3.00	No. 4128 35.00	No. 474	HO-103\$21.95
K308 3.00	No. 4120 35.00		
K510 3.00		No. 496L 3.25	HO-104 24.95
K512 3.00	Pages 28 and 29	No. 497L 3.50	HO-105 26.95
K504 3.00	No. 4129 \$37.50		
		Page 38	
K514 4.00	No. 4130 40.00		Page 43
K506 3.00	No. 4131 40.00	No. 476\$ 2.00	HO-120K\$ 1.75
K516 3.50		No. 512 4.00	HO-120 2.25
	Page 30	No. 508 4.00	HO-117K 1.75
Page 9		No. 482 2.00	
	No. 534-567C\$31.00		HO-117 2.25
No. 4101 \$8.95		No. 483 2.00	HO-118K 1.75
No. 4102 9.95	Page 31	No. 486 2.00	HO-118 2.25
		No. 480 2.00	
Pages 10 and 11	No. 4132 \$45.00		HO-113K 1.75
	No. 4133 45.00	No. 488 3.00	HO-113 2.25
No. 4103 \$10.95		No. 504 4.00	HO-114K 1.75
No. 4104 11.95	B 22	No. 478 2.00	HO-114 2.25
No. 4105 12.95	Page 33		
	No. 7B \$ 5.50		HO-115K 1.75
No. 4106 13.95	No. 5 2.75	No. 521 5.50	HO-115 2.25
	No. 6	No. 524 5.50	HO-116K 1.75
Pages 12 and 13		No. 484 2.00	
No. 4107 \$14.50	No. 5A 3.95		HO-116 2.25
No. 4108 15.50	No. 6A 5.50	No. 484L 2.25	HO-119K 1.75
	No. 5B 3.95	No. 514 5.00	HO-119 2.25
No. 4109 15.95	No. 12B 14.50	No. 506 4.00	
No. 4110 15.95		No. 510 4.00	HO-112K 11.95
	No. 9B 10.95		HO-112 14.95
Page 14	No. 11 1.75	No. 481 3.50	HO-121K 2.50
No. 4111 \$17.95	No. 10DC 10.95		HO-121 3.25
		Page 39	
No. 4112 17.95	No. 8B 6.95	No. 587\$ 3.95	HO-122K 2.50
	No. 541		HO-122 3.25
Page 15		No. 588 4.95	HO-110K 16.95
No. 4113 \$19.50	Page 34		
NO. 4113 \$17.30		Page 40	HO-111K 16.95
	No. 675\$ 2.50	No. 583\$ 5.95	
Pages 16 and 17	No. 610 1.00	No. 597 9.95	Page 44
No. 4114 \$19.95	No. 677		HO-258\$ 2.95
No. 4115 19.95		No. 584 3.95	
	No. 676	No. 589 3.95	HO-12 1.00
No. 4116 21.50	No. 450	No. 598	HO-254 1.50
No. 4117 21.50	No. 413	No. 596	HO-252 3.95
	No. 414		HO-256
Page 18		No. 595 6.95	
	No. 604 3.00	No. 585 1.25	HO-265 5.00
No. 561-558C\$16.00	No. 602 1.50	No. 612 4.95	HO-268 10.00
	No. 680		HO-262 2.00
Page 19		No. 594 4.95	
No. 4118 \$23.95	No. 622	No. 593 2.95	HO-261
No. 4119 23.95	No. 681		HO-263
NO. 4117 23.73	No. 621	Page 41	HO-250
		No. 591\$ 3.95	HO-260
Page 20			
No. 4120 \$26.50	Page 35	No. 578 1.75	HO-264
	No. 688\$ 8.95	No. 579 1.25	HO-277
Page 21	No. 665	No. 580 1.95	
		No. 586F 2.25	Page 46
No. 4121 \$27.50			
No. 4122 27.50	Page 36	No. 582 1.95	No. 6 Chemistry\$ 5.50
	No. 490 \$ 4.95	No. 577 2.95	
Page 22	No. 577 2.95	No. 440	Page 47
No. 570-563C\$21.00	No. 564C 5.50	No. 441	No. 1 Chemistry \$ 1.25
	No. 555C 5.50	No. 443	No. 2 " 2.75
Page 23	No. 558C 6.50	No. 451	No. 3 " 3.95
	No. 558C 6.50		
No. 4123 \$29.50	No. 558C 6.50 No. 563C 7.50	No. 452	No. 10 " 10.95
	No. 558C 6.50		
No. 4123 \$29.50	No. 558C 6.50 No. 563C 7.50	No. 452	No. 10 " 10.95